


There were issues affecting this run of Lighthouse:

- There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.



Performance

Metrics



First Contentful Paint

1.2 s

Time to Interactive

1.2 s

Speed Index

1.7 s

Total Blocking Time

0 ms

Largest Contentful Paint

2.7 s

▲ Cumulative Layout Shift

0.38

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

[View Original Trace](#)

[View Treemap](#)



Show audits relevant to: All FCP LCP TBT CLS

Diagnostics — More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

▲ Image elements do not have explicit [width](#) and [height](#)



Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn more](#) CLS

Show 3rd-party resources (1)

URL



...@v3/162...-54b54b7...jpeg.webp (ecomms1.com)


Failing Elements



img



...uploads/logo-barradoce.png (barra-doce.web.app)



img#logo.h
eader__log
o

Serve static assets with an efficient cache policy — 15 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn more.](#)

Show 3rd-party resources (3)

URL

Cache TTL Transfer Size

...plus/198x43.png (ecom.nyc3.digitaloceanspaces.com)	None	5 KiB
...ua/ec.js (www.google-analytics.com)	1 h	1 KiB
/sw.js (barra-doce.web.app)	1 h	0 KiB
/analytics.js (www.google-analytics.com)	2 h	20 KiB
/storefront.8d66207...js (barra-doce.web.app)	1 d	80 KiB
/storefront.f51dae6...css (barra-doce.web.app)	1 d	31 KiB
/assets/payments.png (barra-doce.web.app)	1 d	6 KiB
/chunk.c7ef406...js (barra-doce.web.app)	1 d	4 KiB
/chunk.a794255...js (barra-doce.web.app)	1 d	4 KiB
/chunk.447876c...js (barra-doce.web.app)	1 d	2 KiB
/chunk.65dc23f...js (barra-doce.web.app)	1 d	1 KiB
/chunk.004e418...js (barra-doce.web.app)	1 d	0 KiB
/chunk.0ccf28e...js (barra-doce.web.app)	1 d	0 KiB
/chunk.2a6f71e...js (barra-doce.web.app)	1 d	0 KiB
/chunk.4c8a8da...js (barra-doce.web.app)	1 d	0 KiB

Avoid an excessive DOM size — 961 elements

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more.](#)

TBT

Statistic

Element

Value

Statistic	Element	Value
Total DOM Elements		961
Maximum DOM Depth	source	21
Maximum Child Elements	div.menu__list	14

○ Avoid chaining critical requests — 2 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn more.](#) FCP LCP

Maximum critical path latency: **80 ms**

Initial Navigation

/produto/manga-saco-para-confeitar-descartavel-50-uni-40x22cm (barra-doce.web.app)

...dist/jquery.slim.min.js (cdn.jsdelivr.net) - **40 ms, 24.98 KiB**

...umd/popper.min.js (cdn.jsdelivr.net) - **40 ms, 7.56 KiB**

○ Keep request counts low and transfer sizes small — 46 requests • 337 KiB ^

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more.](#)

Resource Type	Requests	Transfer Size
Total	46	337.5 KiB
Script	15	179.9 KiB
Other	21	84.0 KiB
Stylesheet	1	30.8 KiB
Image	8	23.3 KiB
Document	1	19.5 KiB
Media	0	0.0 KiB
Font	0	0.0 KiB
Third-party	16	112.0 KiB

○ Largest Contentful Paint element — 1 element found ^

This is the largest contentful element painted within the viewport. [Learn More](#) LCP

Element





○ Avoid large layout shifts — 5 elements found ^

These DOM elements contribute most to the CLS of the page. [CLS](#)

Element	CLS Contribution
 <div data-bbox="327 241 399 273">div.col</div>	0.263
 <div data-bbox="220 474 622 506">article#content.page.page--products</div>	0.09
<div data-bbox="156 707 255 739">Comprar</div> <div data-bbox="156 739 603 770"><div data-slot="buy-button-content"></div>	0.017
 <div data-bbox="327 801 1018 833">section#product-description.product-description.my-4.my-lg-5</div>	0.01
 <div data-bbox="486 1034 909 1066">div.col.col-lg-auto.pl-1.pl-md-2.pl-lg-3</div>	0


○ Avoid non-composited animations — 2 animated elements found ^

Animations which are not composited can be janky and increase CLS. [Learn more](#) [CLS](#)


Element	Name
 <div data-bbox="422 1505 1094 1536">div#search-bar.d-lg-block.col-12.col-lg.collapse.show.d-none</div>	height
<div data-bbox="183 1729 564 1760">Unsupported CSS Property: height</div>	
 <div data-bbox="486 1787 753 1818">div.prices__installments</div>	slideDown
<div data-bbox="183 2011 580 2042">Unsupported CSS Property: visibility</div>	

Eliminate render-blocking resources 

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more](#). FCP LCP

Properly size images 

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more](#).

Defer offscreen images 

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more](#).

Minify CSS — Potential savings of 4 KiB 

Minifying CSS files can reduce network payload sizes. [Learn more](#). FCP LCP

Show 3rd-party resources (0)

URL	Transfer Size	Potential Savings
ProductGallery.scss	6.2 KiB	4.1 KiB

Minify JavaScript 

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more](#). FCP LCP

Reduce unused CSS 


Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn more](#). FCP LCP

Reduce unused JavaScript — Potential savings of 31 KiB 

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn more](#). LCP

Show 3rd-party resources (0)

URL	Transfer Size	Potential Savings
/storefront.8d66207...js (barra-doce.web.app)	79.5 KiB	30.6 KiB
(unmapped)	79.5 KiB	30.6 KiB

Efficiently encode images 

Optimized images load faster and consume less cellular data. [Learn more](#).

Serve images in next-gen formats 

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more](#).

Enable text compression 

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more](#). FCP LCP

Preconnect to required origins



Warnings: More than 2 `<link rel=preconnect>` connections were found. These should be used sparingly and only to the most important origins.

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more.](#) FCP LCP

Initial server response time was short — Root document took 20 ms



Keep the server response time for the main document short because all other requests depend on it. [Learn more.](#) FCP LCP

Show 3rd-party resources (0)

URL	Time Spent
/produto/manga-saco-para-confeitar-descartavel-50-uni-40x22cm (barra-doce.web.app)	20 ms

Avoid multiple page redirects



Redirects introduce additional delays before the page can be loaded. [Learn more.](#) FCP LCP

Preload key requests



Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn more.](#) FCP LCP

Use HTTP/2



HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more.](#)

Use video formats for animated content



Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#) LCP

Remove duplicate modules in JavaScript bundles



Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

Avoid serving legacy JavaScript to modern browsers — Potential savings of 0 KiB



Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn More](#) TBT

Show 3rd-party resources (1)

URL	Potential Savings
/storefront.8d66207....js (barra-doce.web.app)	0.0 KiB
storefront.8d66207....js:2	@babel/plugin-transform-classes

Preload Largest Contentful Paint image



Preload the image used by the LCP element in order to improve your LCP time. [Learn more.](#) LCP

Avoids enormous network payloads — Total size was 337 KiB



Large network payloads cost users real money and are highly correlated with long load times. [Learn more.](#) LCP

Show 3rd-party resources (3)

URL	Transfer Size
/storefront.8d66207....js (barra-doce.web.app)	79.5 KiB
/gtm.js?id=GTM-PDJXWRH (www.googletagmanager.com)	36.9 KiB
/storefront.f51dae6....css (barra-doce.web.app)	30.8 KiB
...dist/jquery.slim.min.js (cdn.jsdelivr.net)	25.0 KiB
/analytics.js (www.google-analytics.com)	19.6 KiB
/produto/manga-saco-para-confeitar-descartavel-50-uni-40x22cm (barra-doce.web.app)	19.5 KiB
/chunk.2a6f71e....js (barra-doce.web.app)	15.5 KiB
https://barra-doce.web.app	12.6 KiB
/chunk.4a7ccc4....js (barra-doce.web.app)	10.8 KiB
/404 (barra-doce.web.app)	8.2 KiB

○ User Timing marks and measures ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more.](#)

JavaScript execution time — 0.3 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more.](#) TBT

Show 3rd-party resources (0)

URL	Total CPU Time	Script Evaluation	Script Parse
/produto/manga-saco-para-confeitar-descartavel-50-uni-40x22cm (barra-doce.web.app)	688 ms	21 ms	3 ms
Unattributable	179 ms	13 ms	1 ms
/storefront.8d66207....js (barra-doce.web.app)	159 ms	110 ms	8 ms
/chunk.2a6f71e....js (barra-doce.web.app)	154 ms	119 ms	1 ms

Minimizes main-thread work — 1.4 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#) TBT

Category	Time Spent
Script Evaluation	433 ms
Other	395 ms
Rendering	248 ms
Style & Layout	243 ms

Category	Time Spent
Script Parsing & Compilation	43 ms
Parse HTML & CSS	37 ms
Garbage Collection	13 ms

All text remains visible during webfont loads ^

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more.](#) FCP LCP

Minimize third-party usage — Third-party code blocked the main thread for 0 ms ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn more.](#) TBT

Show 3rd-party resources (0)

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Tag Manager	37 KiB	0 ms
/gtm.js?id=GTM-PDJXWRH (www.googletagmanager.com)	37 KiB	0 ms
JSDelivr CDN	33 KiB	0 ms
...dist/jquery.slim.min.js (cdn.jsdelivr.net)	25 KiB	0 ms
...umd/popper.min.js (cdn.jsdelivr.net)	8 KiB	0 ms
Google Analytics	21 KiB	0 ms
/analytics.js (www.google-analytics.com)	20 KiB	0 ms

Lazy load third-party resources with facades ^


Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn more.](#)

TBT

Largest Contentful Paint image was not lazily loaded ^

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more.](#)

Element



Uses passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more.](#)

Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more.](#)

Avoid long main-thread tasks ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn more](#) TBT

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more](#). TBT



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more](#).

Mobile Friendly — Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. [Learn more](#).

Tap targets are not sized appropriately — 79% appropriately sized tap targets ^

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more](#).

Tap Target




button.btn.glide__arrow.glide__arrow--left

Size

41x40

Overlapping Target




a.product-card__link




button.btn.glide__arrow.glide__arrow--right

41x40




a.product-card__link




a

111x18




a



a

17x23



a

Tap Target




button.share-network-whatsapp.btn.share.share--whatsapp.px-2

Size

32x38

Overlapping Target



button.share-network-facebook.btn.share.share--facebook.px-2

Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices. ^

Structured data is valid ^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more.](#)

Passed audits (13) ^

Has a `<meta name="viewport">` tag with width or initial-scale ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more.](#) (TBT)

Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

Document has a meta description ^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more.](#)

Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more.](#)

Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn more.](#)

Links are crawlable ^

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn More](#)

Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more.](#)

robots.txt is valid ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more.](#)

Image elements have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more.](#)

Document has a valid `hreflang` ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more.](#)

Document has a valid `rel=canonical` ^

Canonical links suggest which URL to show in search results. [Learn more.](#)

Document uses legible font sizes — 100% legible text ^

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥ 12 px. [Learn more.](#)

Show 3rd-party resources (0)

Source	Selector	% of Page Text	Font Size
Legible text		100.00%	≥ 12 px

Document avoids plugins ^

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more.](#)



Progressive Web App

These checks validate the aspects of a Progressive Web App. [Learn more.](#)

Installable

Web app manifest and service worker meet the installability requirements ^

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more.](#)

PWA Optimized

Registers a service worker that controls page and `start_url` ^

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. [Learn more.](#)

Redirects HTTP traffic to HTTPS ^

If you've already set up HTTPS, make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#)

Configured for a custom splash screen ^

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more](#).

Sets a theme color for the address bar. ^

The browser address bar can be themed to match your site. [Learn more](#).

Content is sized correctly for the viewport ^

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn more](#).

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more](#). TBT

Provides a valid `apple-touch-icon` ^

For ideal appearance on iOS when users add a progressive web app to the home screen, define an `apple-touch-icon`. It must point to a non-transparent 192px (or 180px) square PNG. [Learn More](#).

▲ Manifest doesn't have a maskable icon ^

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn more](#).

Additional items to manually check (3) — These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually. ^

○ Site works cross-browser ^

To reach the most number of users, sites should work across every major browser. [Learn more](#).

○ Page transitions don't feel like they block on the network ^

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more](#).

○ Each page has a URL ^

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more](#).

Runtime Settings

URL	https://barra-doce.web.app/produto/manga-saco-para-confeitar-descartavel-50-uni-40x22cm
Fetch Time	Feb 7, 2022, 9:08 AM GMT-3
Device	Emulated Moto G4

Network throttling	150 ms TCP RTT, 1,638.4 Kbps throughput (Simulated)
CPU throttling	4x slowdown (Simulated)
Channel	devtools
User agent (host)	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/97.0.4692.99 Safari/537.36
User agent (network)	Mozilla/5.0 (Linux; Android 7.0; Moto G (4)) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/94.0.4590.2 Mobile Safari/537.36 Chrome-Lighthouse
CPU/Memory Power	2580
Axe version	4.2.3

Generated by **Lighthouse** 8.5.0 | [File an issue](#)